



CONTOURS ARE IN FEET RELATIVE TO MEAN LOW WATER

MATCH LINE SHEET 13

MATCH LINE SHEET 10

MATCH LINE SHEET 6

INTRACOASTAL WATERWAY

NORTH GRAND CANAL

N.E. 30th AVE

N.E. 44th ST

N.E. 30th TERR

N.E. 45th ST

N.E. 31st AVE



LEGEND

	DEPTH LESS THAN 2 FEET SHALL BE INDICATED BY A RED COLOR
	DEPTH FROM 2 TO 4 FEET SHALL BE INDICATED BY A YELLOW COLOR
	DEPTH FROM 4 TO 10 FEET SHALL BE INDICATED BY A LIGHT BLUE COLOR
	DEPTH FROM 10 TO 20 FEET SHALL BE INDICATED BY A BLUE COLOR
	DEPTH FROM 20 FEET AND DEEPER SHALL BE INDICATED BY A DARK BLUE COLOR
	INDICATED OUTLINE STRUCTURE

SHEET INDEX

2	3	4	5
6	7	8	9
10	11	12	13
14	15	16	17
18	19	20	21
22	23	24	25
26	27	28	29
30			

SDI PLAN - 12-1895

DATE	DESCRIPTION




SEA DIVERSIFIED, INC.
 Surveying and Engineering Applications
 Tel: (951) 243-4820
 Fax: (951) 243-4867
 21 NW 2nd Street
 Delray Beach, Florida 33444

Contractor:
 Ronald G. Johnson, P.E.
 Public Professional Engineer
 and Surveyor
 P.O. Box 100000
 Ft. Lauderdale, FL 33308

City of Lighthouse Point
 2200 NE 30th Street
 Lighthouse Point, Florida 33064

CITY OF LIGHTHOUSE POINT
 HYDROGRAPHIC SURVEY OF
 WATERWAYS AND CANALS
 LIGHTHOUSE POINT, BROWARD COUNTY, FLORIDA
 PLAN

NO.	DATE	REVISION



CONTOURS ARE IN FEET RELATIVE TO MEAN LOW WATER

Y 71000
Y 71000
Y 71000
Y 71000
Y 71000
Y 71000


A
B
C
D
E
F
G
H

LEGEND

- 1 TO 2 FEET SHALLOWER THAN DESIGN DEPTH (RELIEFATION OF 0.5' MAX AND HOOKING)
- 1 TO 2 FEET DEEPER THAN DESIGN DEPTH (RELIEFATION OF 0.5' TO 0.75' MAX)
- 1 TO 2 FEET SHALLOWER THAN DESIGN DEPTH (RELIEFATION OF 0.5' TO 0.75' MAX)
- 1 TO 2 FEET DEEPER THAN DESIGN DEPTH (RELIEFATION OF 0.5' TO 0.75' MAX)

SHEET INDEX

12	11	10	9
14	13		
17	16	15	
20	19	18	
22	21		
25	24	23	
28	27	26	
29			
30			



SDI PN: 12-1895

SEA DIVERSIFIED, INC.
Surveying and Engineering Applications
Tel: (561) 243-4820
Fax: (561) 243-4807
21 NW 2nd Street
Delray Beach, Florida 33444

CITY OF LIGHTHOUSE POINT
2200 NE 30th Street
Lighthouse Point, Florida 33064

CITY OF LIGHTHOUSE POINT
HYDROGRAPHIC SURVEY OF WATERWAYS AND CANALS
LIGHTHOUSE POINT, BROWARD COUNTY, FLORIDA
PLAN



CONTOURS ARE IN FEET RELATIVE TO MEAN LOW WATER



THIS DRAWING IS INTENDED TO BE DISPLAYED AT A SCALE OF 1" = 80' UNLESS OTHERWISE NOTED

LEGEND

- DEPTHS LESS THAN 2 FEET SHALL BE SHOWN IN RED (DEPTHS LESS THAN 2 FEET SHALL BE SHOWN IN RED)
- DEPTHS FROM 2 TO 5 FEET SHALL BE SHOWN IN YELLOW (DEPTHS FROM 2 TO 5 FEET SHALL BE SHOWN IN YELLOW)
- DEPTHS FROM 5 TO 10 FEET SHALL BE SHOWN IN LIGHT BLUE (DEPTHS FROM 5 TO 10 FEET SHALL BE SHOWN IN LIGHT BLUE)
- DEPTHS FROM 10 TO 20 FEET SHALL BE SHOWN IN DARK BLUE (DEPTHS FROM 10 TO 20 FEET SHALL BE SHOWN IN DARK BLUE)
- DEPTHS FROM 20 FEET AND DEEPER SHALL BE SHOWN IN WHITE (DEPTHS FROM 20 FEET AND DEEPER SHALL BE SHOWN IN WHITE)
- INDICATES OPTIONAL STRUCTURE

SHEET INDEX

2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30

	<p>SEA DIVERSIFIED, INC. Surveying and Engineering Applications Tel: (904) 243-4600 Fax: (904) 243-4607 21 MW 2nd Street Delray Beach, Florida 33444</p>	<p>Contractor: City of Lighthouse Point 2200 NE 30th Street Lighthouse Point, Florida 33064</p>	<p>City of Lighthouse Point Lighthouse Point, Broward County, Florida PLAN</p>	<p>Scale: 1" = 80'</p>	<p>11</p>
--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------	------------------------	-----------